according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists' acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

#### 1.1 Product identifier

Trade name : Artists` acrylic colour "Master Class"

Chemical name : Not applicable.
CAS-No : Not applicable.
EC-No : Not applicable.

Registration number : Not applicable (the substance is a mixture).

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/ Mix- : Artists colors.

<u>ture</u>

## 1.3 Details of the supplier of the safety data sheet

Company : Joint-Stock Company «Artistic paints plant «Nevskaya palitra»

68 Serdobolskaya str., Saint-Petersburg, Russia, 197342

<u>Telephone</u> : +7 (812) 337-11-43

E-mail address : secretar@zxknp.spb.ru

Only representative : Not applicable.Telephone : Not applicable.E-mail address : Not applicable.

#### 1.4 Emergency telephone number

**Austria:** Poison Control Centre, Tel.: (+43)-1-406-43-43; **Belgium:** Belgisch Antigifcentrum, Tel.: 070/245-245;

Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов",

Tel.: (+359)-2-9154-409;

Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342;

Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293,

(+420)-224-915-402;

Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12-12;

Estonia: National emergency telephone number: 112 or Poison information telephone number:

16662, calling from abroad: (+372)-626-93-90;

Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711;

France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59;

**Hungary:** Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199; **Latvia:** Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473;

**Lithuania:** Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras,

Tel.: (+370)-5-236-20-52 or (+370)-687-53378; **Malta:** Mater Dei Hospital, Tel: 2545-0000;

Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143;

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017

Version 1.0

EU / EN

Romania: Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00);

Slovak Republic: National Toxicological Information Centre (+421)-2-5477-4166;

(+420)-224-915-402;

Sweden: 112.

Note: please, consult with your local/national competent authorities for the emergency number in your country.

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

#### Classification according to REGULATION (EC) No 1272/2008

The product does not need to be classified in accordance with REGULATION (EC) No 1272/2008. Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

#### 2.2 Label elements

#### Labeling according to REGULATION (EC) No 1272/2008

The product does not need to be labelled in accordance with REGULATION (EC) No 1272/2008. Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

#### 2.3 Other hazards

No data available.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

The product is a mixture within the meaning of the REACH Regulation (1907/2006/EC). Description: Artists` acrylic colour based on acrylic resins, pigments and on water

## Dangerous components:

Chemical Name	Concen- tration, wt. %	CAS-No	EC-No / Regis- tration number	Index-No	CLP
Propane-1,2-diol	3-12	57-55-6	200-338-0	-	Acute Tox. 4, H302 Eye Irrit 2, H319 Aquatic Chronic 1, H410 Skin Irrit 2, H315 STOT SE 3, H335 STOT SE 3, H336 Aquatic Chronic 2, H411 Skin Sens. 1, H317
2-(2-butoxyethoxy)ethanol	0.2-0.3	112-34-5	203-961-6	603-096-00-8	Eye Irrit 2, H319 STOT SE 3, H336 Acute Tox. 4, H302 Acute Tox. 4, H 312 Skin Irrit 2, H315 Eye Irrit 2, H320 Acute Tox. 4, H332 STOT SE 2, H371
A mixture of: 1,2- Benzisothiazol-3(2h)-one and 2-Methyl-2H- isothiazol-3-one	0.1-0.2	2634-33-5 2682-20-4	220-120-9 220-239-6		Aquatic Acute 1, H400 Skin Sens. 1, H317 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Eye Dam. 1, H318

For the full text of the H-phrases mentioned in this Section, see Section 16.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

#### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation : If breathed in move person into fresh air. Keep patient warm

and at rest.

Skin contact : In case of contact flush skin with soap and plenty of water.

Seek medical advice if irritation develops and persists.

Eye contact : Protect unharmed eye. If easy to do, remove contact lens, if

worn. In the case of contact with eyes, rinse with plenty of

water. Seek medical advice if irritation persists.

Ingestion : Rinse mouth thoroughly with water. If larger amounts are

swallowed or in the event of symptoms take medical treat-

## 4.2 Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

#### 5.1 Extinguishing Media

Suitable extinguishing media : Use carbon dioxide, dry chemical, foam or carbon dioxide type

fire extinguisher, sand, water spray.

Unsuitable

media

extinguishing : Not applicable.

## 5.2 Special hazards arising from the substance or mixture

Specific hazards : In the event of fire the following can be released: Carbon

monoxide (CO); Carbon dioxide (CO2); dense black smoke

5.3 Advice fire fighters

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Further information : Standard procedure for chemical fires. Collect contaminated

fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedure

Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid contact with skin and eyes.

## 6.2 Environmental precautions

Prevent further spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment.

## 6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local or national regulations. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.

#### 6.4 Reference to other sections

See Section 7, 8, 11, 12 and 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Avoid formation of

aerosol. Provide appropriate exhaust ventilation at places

where aerosol is formed.

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

#### 7.2 Conditions for safe storage including any incompatibilities

areas and containers

Requirements for storage: Avoid release moisture. Avoid to low temperature. Keep con-

tainer in a dry and well-ventilated place.

: Keep away from food, drink and animal feeding stuffs. Do not Advice on common storage

store near acids and bases.

: No data available. Storage period

: 5 - 35 °C Storage temperature

7.3 Specific end use(s)

No data available.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists' acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Chemical Name	CAS-No	Control parameters	Basis	Country
		STEL: 15 mg/m³ (calculated, respirable) TWA: 10 mg/m³ (total inhalable)	AGW	Germany
2-(2-butoxyethoxy)ethanol	112-34-5		PEL	USA
			REL TLV	USA USA

## 8.2 Exposure controls

## **Engineering measures**

Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation.

Personal protective equipment

<u>Respiratory protection</u>: Respirator FFP2 (for workers).

Remarks : Use respirators and components tested and approved under

appropriate government standards CEN (EU).

Hand protection

Material : Safety gloves (for workers).

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Eye protection : Safety glasses (for workers).

Remarks : Use equipment for eye protection tested and approved under

appropriate government standards such as EN 166 (EU).

Skin and body protection : Protected shoes and clothes (for workers).

Remarks : Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

<u>Hygiene measures</u> : Handle in accordance with good industrial hygiene and safety

practice.

General industrial hygiene practice.

Avoid formation of aerosol.

When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Wash contaminated clothing before reuse.

#### **Environmental exposure controls**

No data available.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

Form : Liquid

Colour : Depending on the dye.

Odour Characteristic. Odor threshold No data available. Flash point No data available. Lower explosion limit No data available. Upper explosion limit No data available. Explosive properties Non-explosive. Flammability Not flammable. Oxidizing properties Non-oxidizina. Self-ignition temperature No data available. Melting point/range No data available.

pH : 8.5–10.0

Boiling point/boiling range : No data available.

Vapor pressure : No data available.

Density : 1.1 – 1.4 kg/l at 20 °C

Bulk density Not applicable. Water solubility Insoluble Miscibility with water (15 °C) Non - miscible. Partition coefficient: n-octanol/water No data available. Solubility in other solvents No data available. Viscosity, dynamic No data available. Viscosity, kinematic No data available. Relative vapor density No data available. Evaporation rate No data available. Decomposition temperature No data available.

9.2 Other information

Ignition temperature : No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

## 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid

Heat, moisture, low temperature.

## 10.5 Incompatible materials

Materials to avoid : Acids and bases.

#### 10.6 Hazardous decomposition products

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

Hazardous decomposition : No data available.

products

Thermal decomposition : No data available.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

## **Acute toxicity**

Acute oral toxicity

LD50 oral/rat: > 22000 mg/kg

LD50 oral/rat: > 1020 mg/kg

Propane-1,2-diol LD50 dermal/rabbit: > 2000 mg/kg

L50 inhalative/rabbit: > 317000 mg/kg

2-(2-butixyethoxy)ethanol : LD50 oral/rat: > 3384 mg/kg

LD50 dermal/bunny: > 2700 mg/kg A mixture of: 1,2-LD50 oral/mouse: > 1150 mg/kg

Benzisothiazol-3(2h)-one and

2-Methyl-2H-isothiazol-3-one

Acute inhalation toxicity

Acute dermal toxicity

Acute toxicity (at hor route of No data available.

No data available.

No data available.

Acute toxicity (other routes of

administration)

Skin corrosion / irritation

Skin irritation : No irritating.

Serious eye damage / eye irritation

Eye irritation : No irritating.

Sensitization of the respiratory / skin

<u>Skin sensitization</u>: Non skin sensitizing. <u>Respiratory sensitization</u>: Non respiratory sensitizing.

Mutagenicity

No mutagenic effect.

Carcinogenicity

No carcinogenic effect. Reproductive toxicity

No reproductive effect.

**Teratogenicity** 

No data available.

Specific target organ toxicity after single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity after repeated exposure (sub-acute / sub-chronic)

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists' acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

Not applicable.

**Aspiration hazard** 

Not applicable.

**Neurological effects** 

No data available.

Toxicology, metabolism, distribution

No data available.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

2-(2-butoxyethoxy)ethanol

: Pseudomonas putida Toxicity to fish: EC-10 (17h) 1170 mg/l

Toxicity to daphnia and other

aquatic invertebrates:

Daphnia magna

EC-50 (24h) 2850 mg/l

Toxicity to aquatic plants:

Lepomis macrochirus LC-50 (96h) 1300 mg/l

Long-term study fish/daphnia

and other aquatic inverte-

brates/aquatic plants:

No data available.

## 12.2 Persistence and degradability

: No data available. **Biodegradability** 

#### 12.3 Bioaccumulation potential

No data available.

12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT assessment and vPvB

Not PBT and no vPvB.

12.6 Other adverse effects

Additional ecological infor- : The product should not be allowed to enter drains, water

courses or the soil.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Advice on disposal and : Disposal:

packaging

<u>mation</u>

In accordance with local and national regulations. Do not dis-

pose of waste into sewer. This material and its container must

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017

Version 1.0

EU / EN

be disposed of in a safe way. Do not dispose of together with household waste. Waste codes should be assigned by the user based on the application for which the product was used.

#### **SECTION 14: TRANSPORT INFORMATION**

## Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

-

## 14.3. Transport hazard class(es)

Class - Label -

14.4. Packing group

Packing group Transport category 0

14.5. Environmental hazards

## Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

''

## 14.3. Transport hazard class(es)

Class - Subsidiary risk -

14.4. Packing group

Packing group

14.5. Environmental hazards

no

## Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

**14.1. UN number** 

UN -

14.2. UN proper shipping name

-

## 14.3. Transport hazard class(es)

Class - Subsidiary risk

44.4 Dealing group

14.4. Packing group

Packing group

14.5. Environmental hazards

-

#### Information for all modes of transport

## 14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### Other information

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Vers

Version 1.0

EU / EN

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code no

## **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

## Other information

The product does not contain substances of very high concern (SVHC).

#### Other information

All components are contained in the TSCA inventory or exempted.

All components are contained in the AICS inventory.

All components are contained in the PICCS inventory.

All components are contained in the DSL or NDSL inventory.

All components are contained in the IECSC inventory.

All components are contained in the ECL inventory.

#### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

#### **SECTION 16: OTHER INFORMATION**

## R-phrases listed in Chapter 3

21/22 Harmful in contact with skin and if swallowed.

22 Harmful if swallowed.

23 Toxic by inhalation.

37/38 Irritating to respiratory system and skin.

41 Risk of serious damage to eyes.

50 Very toxic to aquatic organisms.

#### **Hazard statements:**

## Hazard statements listed in Chapter 3

H302 H	larmful if	swallowed.
--------	------------	------------

- H312 Harmful in contact with skin
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects
- H371 May cause damage to organs

## CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity,oral. Category 4
Acute Tox. 4	Acute toxicity, dermal. Category 4
Skin Irrit 2	Skin corrosion/irritation, Category 2

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



# Artists` acrylic colour "MASTER CLASS"

Revision Date 29.04.2017 Version 1.0 EU / EN

Skin Sens. 1 Sensitisation, Skin. Category 1

Eye Irrit 2 Serious eye damage/eye irritation. Category 2 Eye Irrit 2 Serious eye damage/eye irritation. Category 2

Acute Tox.4 Acute toxicity, inhalation. Category 4

STOT SE 3 Specific target organ toxicity, single exposure; Respiratory tract irritation.

Category 3

STOT SE 3 Specific target organ toxicity, single exposure; Narcotic effects. Category 3

STOT SE 2 Specific target organ toxicity, single exposure. Category 2
Aquatic Acute 1 Hazardous to the aquatic environment, acute hazard. Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, long-term hazard. Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, long-term hazard. Category 2

## Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.