

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier

Trade name : Acrylic primer for painting "Sonnet": white and black

Chemical name : Not applicable.

CAS-No : Not applicable.

EC-No : Not applicable.

Registration number : Not applicable (the substance is a mixture).

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/ Mixture : acrylic primer is designed for priming canvas, cardboard or wooden surfaces for a variety of artistic paints (oil, tempera, acrylic, gouache)

1.3 Details of the supplier of the safety data sheet

Company : Joint-Stock Company «Artistic paints plant «Nevskaya palitra»
68 Serdobolskaya str., Saint-Petersburg, Russia, 197342

Telephone : +7 (812) 337-11-43

E-mail address : sekretar@zxknp.spb.ru

Only representative : Not applicable.

Telephone : Not applicable.

E-mail address : Not applicable.

1.4 Emergency telephone number

Austria: Poison Control Centre, Tel.: (+43)-1-406-43-43;

Belgium: Belgisch Antigifcentrum, Tel.: 070/245-245;

Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов",
Tel.: (+359)-2-9154-409;

Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342;

Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293,
(+420)-224-915-402;

Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12-12;

Estonia: National emergency telephone number: 112 or Poison information telephone number:
16662, calling from abroad: (+372)-626-93-90;

Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711;

France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59;

Hungary: Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199;

Latvia: Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473;

Lithuania: Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras,
Tel.: (+370)-5-236-20-52 or (+370)-687-53378;

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

Malta: Mater Dei Hospital, Tel: 2545-0000;

Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143;

Romania: Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00);

Slovak Republic: National Toxicological Information Centre (+421)-2-5477-4166;
(+420)-224-915-402;

Sweden: 112.

Note: please, consult with your local/national competent authorities for the emergency number in your country.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to REGULATION (EC) No 1272/2008

The product does not need to be classified in accordance with REGULATION (EC) No 1272/2008. Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

2.2 Label elements

Labeling according to REGULATION (EC) No 1272/2008

The product does not need to be labelled in accordance with REGULATION (EC) No 1272/2008. Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

2.3 Other hazards

No special hazards have to be mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The product is a mixture within the meaning of the REACH Regulation (1907/2006/EC).

Description: Primer is a suspension of pigment and filler in acrylic water dispersion with the addition of targeted additives

Dangerous components:

Chemical Name	Concentration, wt. %	CAS-No	EC-No / Registration number	Index-No	CLP
A mixture of: 1,2-Benzisothiazol-3(2h)-one and 2-Methyl-2H-isothiazol-3-one	0,1	2634-33-5 2682-20-4	220-120-9 220-239-6		Aquatic Acute 1, H400 Skin Sens. 1, H317 Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Irrit. 2, H319 Eye Dam. 1, H318
Titanium dioxide (Pigment White 6)	0-10	13463-67-7	236-675-5	Not applicable	AcuteTox4, H332 Carc.2, H351 Eye Irrit.2, H319 STOT SE 3, H335 STOT RE 1, H372 Skin Irrit. 2, H315 STOT SE 2, H371 Carc.1B, H350 Aquatic Chronic 4, H413

For the full text of the H-phrases mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

4.1 Description of first aid measures

- Inhalation : If breathed in move person into fresh air. Keep patient warm and at rest.
- Skin contact : In case of contact flush skin with soap and plenty of water. Seek medical advice if irritation develops and persists.
- Eye contact : Protect unharmed eye. If easy to do, remove contact lens, if worn. In the case of contact with eyes, rinse with plenty of water. Seek medical advice if irritation persists.
- Ingestion : Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

- Suitable extinguishing media : Use carbon dioxide, dry chemical, foam or carbon dioxide type fire extinguisher, sand, water spray.
- Unsuitable extinguishing media : Not applicable.

5.2 Special hazards arising from the substance or mixture

- Specific hazards : In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); dense black smoke

5.3 Advice fire fighters

- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedure

Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid contact with skin and eyes.

6.2 Environmental precautions

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

Prevent further spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local or national regulations. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.

6.4 Reference to other sections

See Section 7, 8, 11, 12 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Avoid formation of aerosol. Provide appropriate exhaust ventilation at places where aerosol is formed.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

7.2 Conditions for safe storage including any incompatibilities

Requirements for storage : Avoid release moisture. Avoid to low temperature. Keep containers and containers in a dry and well-ventilated place.

Advice on common storage : Keep away from food, drink and animal feeding stuffs. Do not store near acids and bases.

Storage period : No data available.

Storage temperature : >0°C

7.3 Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Chemical Name	CAS-No	Control parameters	Basis	Country
Titanium dioxide (Pigment White 6)	13463-67-7	STEL: 30 mg/m ³ (calculated, total inhalable) STEL: 12 mg/m ³ (calculated, respirable) TWA: 10 mg/m ³ (total inhalable) TWA: 4 mg/m ³ (respirable)	EH40/2005	The United Kingdom
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³ (as Ti)	ED 984	France
Titanium dioxide	13463-67-7	VLA-ED: 10 mg/m ³	OEL for Spain, 2015	Spain
Titanium dioxide	13463-67-7	VLE-MP: 10 mg/m ³	NP 1796:2014	Portugal
Titanium dioxide	13463-67-7	TWA: 6 mg/m ³ (as Ti)	Statutory Order No 507 17.05.2011 with add.	Denmark

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

Titanium dioxide	13463-67-7	STEL: 10 mg/m ³ (alveolar dust, respirable fraction, 2 X 60 min) TWA: 5 mg/m ³ (alveolar dust, respirable fraction)	BGBI.I Nr 51/2011	Austria
Titanium dioxide	13463-67-7	NDS: 10.0 mg/m ³ (<2% free crystalline silica and containing no asbestos, inhalable fraction)	Dz.U. 2014 Nr. 0, 817 of June 6, 2014	Poland
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³ (total inhalable dust); TWA: 4 mg/m ³ (respirable dust) STEL: 30 mg/m ³ (calculated, total inhalable dust) STEL: 12 mg/m ³ (calculated, respirable dust)	S.I. No619 of 2001	Ireland
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³	Ministerial Decree of August 20, 1999	Italy
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³ (inhalable fraction) TWA: 5 mg/m ³ (respirable fraction)	Presidential Decrees 90/1999 with add., 212/2006, OEL 127/2000	Greece
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³	MB 14.3.2002 with addendum	Belgium
Titanium dioxide	13463-67-7	TWA: 10.0 mg/m ³ (respirable dust)	Regulation Nr. 13	Bulgaria
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³ (total dust) TWA: 4 mg/m ³ (respirable dust)	HR-OEL	Croatia
Titanium dioxide	13463-67-7	10 mg/m ³ MAC (dust capable of being retained in the lungs)	Reg. 311/73	Cyprus
Titanium dioxide	13463-67-7	TWA: 5 mg/m ³	Reg. No 293	Estonia
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³	Regulation No325 with add.	Latvia
Titanium dioxide	13463-67-7	IPRD: 5 mg/m ³	Order V-824/A1-389	Lithuania
Titanium dioxide	13463-67-7	STEL: 15 mg/m ³ TWA: 10 mg/m ³	Governmental Decision 1218 from 06/09/2006, 1093 from 16/08/2006	Romania
Titanium dioxide	13463-67-7	LLV: 5 mg/m ³ (total dust)	AFS 2005:17	Sweden

8.2 Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation.

Personal protective equipment

Respiratory protection : Respirator FFP2 (for workers).

Remarks : Use respirators and components tested and approved under appropriate government standards CEN (EU).

Hand protection

Material : Safety gloves (for workers).

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Eye protection : Safety glasses (for workers).

Remarks : Use equipment for eye protection tested and approved under

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrilyc primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

appropriate government standards such as EN 166 (EU).

Skin and body protection : Protected shoes and clothes (for workers).

Remarks : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
General industrial hygiene practice.
Avoid formation of aerosol.
When using do not eat, drink or smoke.
Wash hands before breaks and at the end of workday.
Wash contaminated clothing before reuse.

Environmental exposure controls

No data available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	:	Pasty
Colour	:	White or black
Odour	:	Characteristic.
Odor threshold	:	No data available.
Flash point	:	No data available.
Lower explosion limit	:	No data available.
Upper explosion limit	:	No data available.
Explosive properties	:	Non-explosive.
Flammability	:	Not flammable.
Oxidizing properties	:	Non-oxidizing.
Self-ignition temperature	:	No data available.
Melting point/range	:	No data available.
pH	:	8.5 – 10.0
Boiling point/boiling range	:	No data available.
Vapor pressure	:	No data available.
Density	:	1.0 – 1.1 kg/l at 20 °C
Bulk density	:	Not applicable.
Water solubility	:	Insoluble.
Miscibility with water (15 °C)	:	Non - miscible.
Partition coefficient: n-octanol/water	:	No data available.
Solubility in other solvents	:	No data available.
Viscosity, dynamic	:	No data available.
Viscosity, kinematic	:	No data available.
Relative vapor density	:	No data available.
Evaporation rate	:	No data available.
Decomposition temperature	:	No data available.

9.2 Other information

Ignition temperature : > 370 °C

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, moisture, low temperature.

10.5 Incompatible materials

Materials to avoid : Acids and bases.

10.6 Hazardous decomposition products

Hazardous decomposition products : No data available.

Thermal decomposition : No data available.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

A mixture of: 1,2- LD50 oral/mouse: > 1150 mg/kg

Benzisothiazol-3(2h)-one and LD50 oral/rat: > 1020 mg/kg

2-Methyl-2H-isothiazol-3-one

Titanium dioxide (Pigment LD50 oral/rat: > 10000 mg/kg

White 6)

Acute inhalation toxicity : No data available.

Acute dermal toxicity : No data available.

Acute toxicity (other routes of administration) : No data available.

Skin corrosion / irritation

Skin irritation : No irritating.

Serious eye damage / eye irritation

Eye irritation : No irritating.

Sensitization of the respiratory / skin

Skin sensitization : Non skin sensitizing.

Respiratory sensitization : Non respiratory sensitizing.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrilyc primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

Mutagenicity

No mutagenic effect.

Carcinogenicity

No carcinogenic effect.

Reproductive toxicity

No reproductive effect.

Teratogenicity

No data available.

Specific target organ toxicity after single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity after repeated exposure (sub-acute / sub-chronic)

Not applicable.

Aspiration hazard

Not applicable.

Neurological effects

No data available.

Toxicology, metabolism, distribution

No data available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish: : LC50 - Lepomis macrochirus - 1.3 mg/l - 96 h
LC0 - Leuciscus idus (Golden orfe) - > 1 mg/l - 48 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

Toxicity to aquatic plants: IC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 24 h

Long-term study fish/daphnia and other aquatic invertebrates/aquatic plants: LC50 - Pseudomonas putida - 1.17 mg/l - 16 h

12.2 Persistence and degradability

Biodegradability : No data available.
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

12.3 Bioaccumulation potential

Does not bioaccumulate.

12.4 Mobility in soil

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

No data available.

12.5 Results of PBT assessment and vPvB

Not PBT and no vPvB.

12.6 Other adverse effects

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Advice on disposal and packaging :

Disposal:
In accordance with local and national regulations. Do not dispose of waste into sewer. This material and its container must be disposed of in a safe way. Do not dispose of together with household waste. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: TRANSPORT INFORMATION

Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Label -

14.4. Packing group

Packing group -

Transport category 0

14.5. Environmental hazards

-

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Subsidiary risk -

14.4. Packing group

Packing group -

14.5. Environmental hazards

no

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.1. UN number

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrylic primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class

-

Subsidiary risk

-

14.4. Packing group

Packing group

-

14.5. Environmental hazards

-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

no

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

VOC VOC (EU) 0,05 % 0,5 g/l

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the TSCA inventory or exempted.

All components are contained in the AICS inventory.

All components are contained in the PICCS inventory.

All components are contained in the DSL or NDSL inventory.

All components are contained in the IECSC inventory.

All components are contained in the ECL inventory.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

R-phrases listed in Chapter 3

36 Irritating to respiratory system and skin.

Hazard statements:

Hazard statements listed in Chapter 3

H302 Harmful if swallowed.

H305 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye irritation.

H319 Causes serious eye irritation.

H332 Toxic if inhaled.

H335 May cause respiratory irritation

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA  PALITRA

Acrilyc primer for painting "Sonnet"

Revision Date 19.10.2018

Version 1.0

EU / EN

H400 Very toxic to aquatic life.

H413 May cause long lasting harmful effects to aquatic life

CLP categories listed in Chapter 3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1

Eye Dam. 1 Serious eye damage, Category 1

Skin Irrit. 2 Skin irritation, Category 2

Skin Sens. 1 Skin sensitization, Category 1

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.